Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Let's make things better.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Faisons toujours mieux.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Ας κάνουμε τον κόσμο μας καλύτερο.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Miglioriamo il tuo mondo.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Por si fazemos melhor.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Juntos hacemos tu vida mejor.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Let's make things better.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Faisons toujours mieux.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

As κάνουμε τον κόσμο μας καλύτερο.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Miglioriamo il tuo mondo.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Black Line

Plug & Play

CONTRAST+

Smart

EASY TUNE

SMART TEXT

Remote control unit varies with model

Por si fazemos melhor.

PHILIPS

Colour Television

21PT4255
21PT4275

Product highlights

- ***Black Line picture tube***
- ***Contrast Plus***
- ***Smart Picture***
- ***Smart Sound***
- ***Plug & Play Installation***
- ***Easy Tune*** *(ATS/ACI) (optional)*
- ***NICAM reception***
- ***Smart Listening*** *(Delta Volume & AVL)*
- ***10 pages TOP/FLOF SmarText*** *(Favorite Pages)*

Remote control unit varies with model

Juntos hacemos tu vida mejor.

PHILIPS

Colour Television

21PT4255
21PT4275

Product Information

Picture

Screen size	21" (52 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal
Contrast Plus	
Sharpness Control	
Colour Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Ultra Bass	
NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmarText (4 favorite pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In / Out + RGB In
	Ext 2: Scart CVBS In / Out + Y/C In

Operation

Remote control	RC2525/01
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Sleeptimer (240 minutes)	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	21 kg (approx.)
Gross weight	27 kg (approx.)
Set dimension	612 x 490 x 480 (W x D x H mm)
Box dimension	680 x 560 x 566 (W x D x H mm)
Box dimension inclu. stand	680 x 560 x 634 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Black Line picture tube

The Black Line picture tube offers excellent images with high sharpness and contrast and less reflection for brilliant colors and improved viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV.
You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		stereo system						transmission system						ATS/ ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT4255	**/00**			●	●			●						●	
21PT4275	**/01**			●	●	●	●	●		●	●		●	●	
21PT4275	**/05**					●				●				●	●

Predecessor : 21PT4254
Chassis : L9SS
Release date (TTM) : August 1999
Reference : Basic/EU/PH/21SDWB/0898

Features and specifications subject to change without notice

Let's make things better.

PHILIPS

Colour Television

21PT4255
21PT4275

Product Information

Picture

Screen size	21" (52 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal
Contrast Plus	
Sharpness Control	
Colour Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Ultra Bass	
NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmarText (4 favorite pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In / Out + RGB In
	Ext 2: Scart CVBS In / Out + Y/C In

Operation

Remote control	RC2525/01
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Sleeptimer (240 minutes)	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	21 kg (approx.)
Gross weight	27 kg (approx.)
Set dimension	612 x 490 x 480 (W x D x H mm)
Box dimension	680 x 560 x 566 (W x D x H mm)
Box dimension inclu. stand	680 x 560 x 634 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Black Line picture tube

The Black Line picture tube offers excellent images with high sharpness and contrast and less reflection for brilliant colors and improved viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV.
You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		stereo system						transmission system						ATS/ ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT4255	**/00**			●	●			●						●	
21PT4275	**/01**			●	●	●	●	●		●	●		●	●	
21PT4275	**/05**					●				●				●	●

Predecessor : 21PT4254
Chassis : L9SS
Release date (TTM) : August 1999
Reference : Basic/EU/PH/21SDWB/0898

Features and specifications subject to change without notice

Faisons toujours mieux.

PHILIPS

Colour Television

21PT4255
21PT4275

Product Information

Picture

Screen size	21" (52 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal
Contrast Plus	
Sharpness Control	
Colour Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Ultra Bass	
NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmarText (4 favorite pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In / Out + RGB In
	Ext 2: Scart CVBS In / Out + Y/C In

Operation

Remote control	RC2525/01
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Sleeptimer (240 minutes)	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	21 kg (approx.)
Gross weight	27 kg (approx.)
Set dimension	612 x 490 x 480 (W x D x H mm)
Box dimension	680 x 560 x 566 (W x D x H mm)
Box dimension inclu. stand	680 x 560 x 634 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Black Line picture tube

The Black Line picture tube offers excellent images with high sharpness and contrast and less reflection for brilliant colors and improved viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV.
You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		stereo system						transmission system						ATS/ ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT4255	**/00**			●	●			●						●	
21PT4275	**/01**			●	●	●	●	●		●	●		●	●	
21PT4275	**/05**					●				●				●	●

Predecessor : 21PT4254
Chassis : L9SS
Release date (TTM) : August 1999
Reference : Basic/EU/PH/21SDWB/0898

Features and specifications subject to change without notice

Colour Television

21PT4255
21PT4275

Product Information

Picture

Screen size	21" (52 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal
Contrast Plus	
Sharpness Control	
Colour Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Ultra Bass	
NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmarText (4 favorite pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In / Out + RGB In
	Ext 2: Scart CVBS In / Out + Y/C In

Operation

Remote control	RC2525/01
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Sleeptimer (240 minutes)	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	21 kg (approx.)
Gross weight	27 kg (approx.)
Set dimension	612 x 490 x 480 (W x D x H mm)
Box dimension	680 x 560 x 566 (W x D x H mm)
Box dimension inclu. stand	680 x 560 x 634 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Black Line picture tube

The Black Line picture tube offers excellent images with high sharpness and contrast and less reflection for brilliant colors and improved viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV.
You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		stereo system						transmission system						ATS/ ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT4255	**/00**			●	●			●						●	
21PT4275	**/01**			●	●	●	●	●		●	●		●	●	
21PT4275	**/05**					●				●				●	●

Predecessor : 21PT4254
Chassis : L9SS
Release date (TTM) : August 1999
Reference : Basic/EU/PH/21SDWB/0898

Features and specifications subject to change without notice

Miglioriamo il tuo mondo.

PHILIPS

Colour Television

21PT4255
21PT4275

Product Information

Picture

Screen size	21" (52 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal
Contrast Plus	
Sharpness Control	
Colour Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Ultra Bass	
NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmarText (4 favorite pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In / Out + RGB In
	Ext 2: Scart CVBS In / Out + Y/C In

Operation

Remote control	RC2525/01
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Sleeptimer (240 minutes)	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	21 kg (approx.)
Gross weight	27 kg (approx.)
Set dimension	612 x 490 x 480 (W x D x H mm)
Box dimension	680 x 560 x 566 (W x D x H mm)
Box dimension inclu. stand	680 x 560 x 634 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Black Line picture tube

The Black Line picture tube offers excellent images with high sharpness and contrast and less reflection for brilliant colors and improved viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV.
You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		stereo system						transmission system						ATS/ ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT4255	**/00**			●	●			●						●	
21PT4275	**/01**			●	●	●	●	●		●	●		●	●	
21PT4275	**/05**					●				●				●	●

Predecessor : 21PT4254
Chassis : L9SS
Release date (TTM) : August 1999
Reference : Basic/EU/PH/21SDWB/0898

Features and specifications subject to change without notice

Por si fazemos melhor.

PHILIPS

Colour Television

21PT4255
21PT4275

Product Information

Picture

Screen size	21" (52 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal
Contrast Plus	
Sharpness Control	
Colour Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Ultra Bass	
NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmarText (4 favorite pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In / Out + RGB In
	Ext 2: Scart CVBS In / Out + Y/C In

Operation

Remote control	RC2525/01
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Sleeptimer (240 minutes)	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	21 kg (approx.)
Gross weight	27 kg (approx.)
Set dimension	612 x 490 x 480 (W x D x H mm)
Box dimension	680 x 560 x 566 (W x D x H mm)
Box dimension inclu. stand	680 x 560 x 634 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Black Line picture tube

The Black Line picture tube offers excellent images with high sharpness and contrast and less reflection for brilliant colors and improved viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV.
You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		stereo system						transmission system						ATS/ ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT4255	**/00**			●	●			●						●	
21PT4275	**/01**			●	●	●	●	●		●	●		●	●	
21PT4275	**/05**					●				●				●	●

Predecessor : 21PT4254
Chassis : L9SS
Release date (TTM) : August 1999
Reference : Basic/EU/PH/21SDWB/0898

Features and specifications subject to change without notice

Juntos hacemos tu vida mejor.

PHILIPS

VIS_RC2525_FT1.EPS

VIS_21PT4255_FTL1.EPS